

	141	proxy with intermediate and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 16:38
	0	proxy with intermediate with (authenticat\$6 or validat\$5) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 16:38
	332	intermediate with (authenticat\$6 or validat\$5) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 16:38
	37	intermediate with (authenticat\$6 or validat\$5) with request\$5 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 16:42
	99	proxy adj server with authenticat\$5 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 16:51
	54	(713/155.ccls. and @ad<=20001004) and intermediate	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 17:46
	5	authenticat\$5 with network with intermediate.ab. and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 17:48
	14	authenticat\$5 with network with proxy.ab. and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 17:48
	3	intermediate with (send\$5 or transmit\$5) with authenticat\$5 with server and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 17:59
	8	biometric\$ with authenticat\$5 with network with access and @ad<=20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 18:46
	8	biometric\$ with authenticat\$5 with network with access and biometric\$ and @ad<=20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 18:52
	44	biometric\$ with authenticat\$5 with network and @ad<=20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 18:52
	11	biometric\$ with authenticat\$5 with network.ab. and @ad<=20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 18:58
	13	biometric\$ with (authoriz\$5 or authenticat\$5) with network with access and @ad<=20001130	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/11 18:59
	31	intermedia\$5 with authenticat\$6 with network and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/14 15:57
	17	proxy with secur\$6 adj server and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/14 16:03

-	194	authenticat\$5 with forward\$5 with request and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/14 16:04
-	412	proxy with server with local and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 13:38
-	185	proxy with server with LAN and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 13:38
-	208	potential adj2 (database or list) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 15:46
-	3	potential adj client near (database or list) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 15:51
-	15	potential adj user near (database or list) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 15:51
-	30	proxy with internet adj address and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 16:15
-	5	authenticat\$5 with network with unique with (hardware or software) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 16:17
-	94	authenticat\$5 with serial adj number with electronic\$6 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 16:25
-	77	authenticat\$5 with serial adj number near2 electronic\$6 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 16:25
-	2	authenticat\$5 with serial adj number near2 electronic\$6 with computer and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 16:26
-	6	authenticat\$5 with (esn or (serial adj number near2 electronic\$6)) with computer and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 16:27
-	26	authenticat\$5 with (esn or (serial adj number near2 electronic\$6)) with network and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 16:45
-	15	authenticat\$5 with time\$out with response and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 16:48
-	22	error with response with authenticat\$5 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 16:50
-	6	authenticat\$6 with default with (response or message) with request and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 17:28

-	6	(time\$out or (time adj out)) with default with (response or message or reply) with request and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 17:36
-	81	(time\$out or (time adj out)) with default with (message or response or reply) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 17:40
-	141	initiat\$5 with authenticat\$6 with receiv\$6 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 18:30
-	15	initiat\$5 with authenticat\$6 with receiv\$6 with ident\$8 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 18:30
-	151	authenticat\$5 with computer with (id or identif\$) with network and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 19:08
-	5	stor\$5 with potential with (authori\$9 or authenticat\$5) with (database or list) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/17 19:16

L Number	Hits	Search Text	DB	Time stamp
9	59	potential adj2 user with authori\$5 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 11:41
12	89	potential adj2 user with (enroll\$5 or register\$5 or add\$3) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 11:43
15	0	stor\$5 with potential near2 (database or list) with authenticat\$9 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 11:44
16	112	stor\$5 with potential near2 (database or list) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 11:44
17	0	stor\$5 with potential near2 (database or list) with unauthoriz\$6 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 11:45
18	2	stor\$5 with potential near2 (database or list) with authori\$9 and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 11:45
19	2	(stor\$5 or add\$5) with potential near2 (database or list) with (authenticat\$6 or authori\$9) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 11:46
20	3	(stor\$5 or add\$5) with potential near2 (database or list) with (valid\$6) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 11:49
21	1	(stor\$5 or add\$5) with potential near2 (database or list) with (verif\$8) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 11:49
28	179	authenticat\$5 with esn	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 12:09
29	121	authenticat\$5 with esn and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 12:09
32	25	authenticat\$5 with esn with network and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 12:09
39	5	authenticat\$5 with (time\$out or (time adj out)) with message and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 12:27
40	2	authenticat\$5 adj2 (data or information) with (send\$5 or transmit\$5) with (time\$out or (time adj out)) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 12:28
41	4	authenticat\$5 adj2 (data or information) with (time\$out or (time adj out)) and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/18 12:28
-	1	intermediate adj (secur\$5 or authenticat\$6) adj2 server and @ad<=20001004	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/14 10:49